



1D Laser Handheld Wireless Barcode Scanner

◆ WNL-6003B/V


Communications	RF433	Scan rate	100±20 (scans/second)
Transmission range	≤100M(In empty area 100M)	Decode angle	Pitch angle:±35° Skew angle:±75° Tilt angle:±40°
Interface	USB HID keyboard/RS-232/ USB VCP	Min resolution	SR:0.127mm/5mil(PCS 0.9) HD:0.08mm/3.2mil(PCS 0.9)
Operation mode	Read-time mode, Inventory mode, Cache mode	Min .PCS value	>20%UPC/EAN 13(13mil)
Memory	100,000 @13Byte barcode	Compatibility	Win OS / Mac OS/ Linux Android/IOS/Embedded OS
Battery capacity	2000mAh (Lithium battery)	Decode Capability	1D : EAN13, EAN8, UPC A, UPC E, CODABAR(NW-7), CODE 39, CODE 93, INTERLEAVED 2OF5, STANDARD 2OF5, MATRIX 2OF5, CODE 128, EAN/UCC 128, CODE 11, CHINESE POST
Charging time	6h	Environmental	RoHS
Working time (Full charge)	6h(Continuous reading situation) 12h(Manual reading situation) More than 15 days(Stand-by time)	Dimensions	Scanner:70mmx95mmx168mm(L*W*H) Base:145mmx112mmx74mm(L*W*H)
Voltage requirement	DC 5V±10%(scanner)	Weight	Scanner: 186g Base: 188g
Current consumption	Max: 110mA Min: 50mA		
Light source	650nm visible laser diode		



1D



RF433



Super decoder



Free USB driver



Fast scan